

MINI

HDMI to AV

USER Manual

BUY ON

www.cablematic.com

Table of Contents

1.0 Introduction

2.0 Specifications

3.0 Package Contents

4.0 Panel Descriptions

5.0 Connection Diagram

BUY ON

www.cablematic.com

1.0 Introduction

BUY ON

www.cablematic.com

The MINI HDMI to AV audio signal converter can convert HDMI video signal or audio signal to AV composite video signal and the FL / FR stereo audio signal, can convert the high quality HDMI video signal into normal CVBS signal (standard-definition 480i, 576i,) Which can play on TV, VHS VCR, DVD recorders, etc, and support NTSC, PAL TV format

1.1 Features

- 1.No need to install drivers, portable, flexible, plug and play.
- 2.Low power, No power adapter.

3. Support NTSC and PAL two standard TV formats
output

4. Compatible HDMI1.3

2.0 SPECIFICATIONS

1. Input ports: 1xHDMI.

2. Output ports: AV (Yellow, White, Red)

3. Dimensions(mm): 66(D)x55(W)x20(H)

4. Weight(g): 40

BUY ON

www.cablematic.com

5. HDMI Input Resolution:

640x480@60Hz, 800x600@60Hz

1024x768@60Hz, 1280x720@60Hz,

1280x1024@60Hz, 1360x768@60Hz,

1600x1200@60Hz, 1920x1080@60Hz,

480p/60Hz, 576p/60Hz,

720p50/60Hz, 1080I50/60Hz, 1080p50/60Hz.

6. CVBS output: PAL, NTSC_M, and (NTSC_J)

3.0 PACKAGE CONTENTS

Before attempting to use this item, please check the package and make sure the following items are contained in the shipping carton:

- 1) Main unit (HDMI to AV Convener) ----- 1 PCS
- 2) USB Cable ----- 1 PCS
- 3) User Manual. ----- 1 PCS

BUY ON

www.cablematic.com


4.0 PANEL DESCRIPTIONS

Please check the panel drawings below and become familiar with the signal input(s), output(s) and power requirements.

Back Panel:

Top Panel:


Front Panel:



BUY ON

www.cablematic.com

5.0 CONNECTION DIAGRAM



BUY ON

www.cablematic.com